

# Cargo



**WIDE RANGE OF FAST AND SAFE LOADING LOADERS THAT FACILITATE LOADING FROM THE TABLE**



# Cargo

**AUTEX** has designed for its spreading machines a wide range of fabric roll loaders called CARGO, these are specially designed for each type of machine.

Autex has two types of loaders: the first one loads from the table and is attached to the machine; this system helps us to load from any point of the table.

The second type loads from the floor and can be attached to the spreading table or to a transfer table; they can be self-assisted as well.

**Cargo60** Loader attached to the models Linea Pro and Linea Plus spreading machines. It loads the fabric rolls from the table to the cradle. Maximum roll weight: 100Kg.



**Cargo80** Loader attached to the Linea Pro spreading machine. Loads the fabric rolls from the table to the cradle or to the support bar system. Maximum roll weight: 100Kg.



**Cargo81** Loader attached to the Linea Plus spreading machine. It has the same characteristics of Cargo 80.

**Cargo100** Loader for Linea Pro spreading machine. It loads from the floor to the cradle. Maximum roll weight: 100K

**Cargo200** Loader for Linea Plus spreading machine. It loads from the floor to the cradle. Maximum roll weight: 100Kg.

**Cargo300** Loader for Goliat 300 folding cradle spreading machine. It loads and unloads from the floor to the cradle and is specially design for jeans or heavy fabric. Maximum roll weight: 300Kg.



# Cargo

**Cargo500** Loader fixed to table for Goliat 500 folding cradle spreading machine. It has same characteristics of Cargo 300 with a maximum roll weight of 500Kg.

**Cargo600** Loader for Tecno spreading machine. It loads from the floor to the cradle. Maximum roll weight: 100Kg.

**CarJeans300** Loader for Goliat 300 spreading machine special for jean fabric rolls. It loads and unloads with a support bar from the floor to the cradle. Maximum roll weight: 300Kg.



C/ Can Negoci, 18  
P.I. Can Negoci – 08310 Argentona  
Barcelona – Spain  
Telephone: 0034 93 7589325

[ventas@autex-int.com](mailto:ventas@autex-int.com)

[www.autex-int.com](http://www.autex-int.com)

